


AMENDMENTS TO THE CLAIMS

Listing of Claims:

Claim 1 (currently amended): A substituted p-diaminobenzene derivative ~~derivatives~~ of the general formula I



wherein

s is 0 or 1;

U is O, S, SO₂, SONR¹¹, CO-O or CONR¹¹; wherein

R¹¹ is ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, or C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl; or R² and R¹¹ together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring which optionally contains 1, 2 or 3 further heteroatoms;

q is 0 or 1;

X is CO or SO₂; with the proviso that q is 0 when X is SO₂;

Z is O or S;

R¹ is ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, acyl, hydroxy-C₁₋₆-alk(en/yn)yl, hydroxy-C₃₋₈-cycloalk(en)yl, hydroxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, halo-C₁₋₆-alk(en/yn)yl, halo-C₃₋₈-cycloalk(en)yl, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, cyano-C₁₋₆-alk(en/yn)yl, cyano-C₃₋₈-cycloalk(en)yl ~~and or~~ cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl;

R² is ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar, Ar-C₁₋₆-alk(en/yn)yl, Ar-C₃₋₈-cycloalk(en)yl, Ar-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, acyl, hydroxy-C₁₋₆-alk(en/yn)yl, hydroxy-C₃₋₈-cycloalk(en)yl, hydroxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, halogen, halo-C₁₋₆-alk(en/yn)yl, halo-C₃₋₈-cycloalk(en)yl, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, cyano, cyano-C₁₋₆-alk(en/yn)yl,

cyano-C₃₋₈-cycloalk(en)yl, cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, NR¹⁰R^{10'}-C₁₋₆-alk(en/yn)yl, NR¹⁰R^{10'}-C₃₋₈-cycloalk(en)yl and or NR¹⁰R^{10'}-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl; wherein R¹⁰ and R^{10'} are independently selected from the group consisting of hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, hydroxy-C₁₋₆-alk(en/yn)yl, hydroxy-C₃₋₈-cycloalk(en)yl, hydroxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, halo-C₁₋₆-alk(en/yn)yl, halo-C₃₋₈-cycloalk(en)yl, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, cyano-C₁₋₆-alk(en/yn)yl, cyano-C₃₋₈-cycloalk(en)yl and or cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, or

R¹⁰ and R^{10'} together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring which optionally contains 1, 2 or 3 further heteroatoms;

provided that when R² is halogen or cyano then s is 0; and

provided that U is O or S when s is 1 and R² is a hydrogen atom or acyl;

R³ is selected from the group consisting of C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, heterocycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, heterocycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar, Ar-C₁₋₆-alk(en/yn)yl, Ar-C₃₋₈-cycloalk(en)yl, Ar-heterocycloalk(en)yl, Ar-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, Ar-C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, C₁₋₆-alk(en/yn)yl-oxy-C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl-oxy-C₁₋₆-alk(en/yn)yl, C₁₋₆-alk(en/yn)yl-oxy-C₃₋₈-cycloalk(en)yl, C₁₋₆-alk(en/yn)yl-oxy-heterocycloalk(en)yl, Ar-oxy-C₁₋₆-alk(en/yn)yl, Ar-C₁₋₆-alk(en/yn)yl-oxy-C₁₋₆-alk(en/yn)yl, C₁₋₆-alk(en/yn)yl-oxy-carbonyl-C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl-oxy-carbonyl-C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl-oxy-carbonyl-C₁₋₆-alk(en/yn)yl, hydroxy-C₁₋₆-alk(en/yn)yl, hydroxy-C₃₋₈-cycloalk(en)yl, hydroxy-heterocycloalk(en)yl, hydroxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, hydroxy-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, hydroxy-C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, halo-C₁₋₆-alk(en/yn)yl, halo-C₃₋₈-cycloalk(en)yl, halo-heterocycloalk(en)yl, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, halo-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, halo-C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, halo-C₁₋₆-alk(en/yn)yl-Ar, halo-C₃₋₈-cycloalk(en)yl-Ar, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl-Ar, halo-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl-Ar, cyano-C₁₋₆-alk(en/yn)yl, cyano-C₃₋₈-cycloalk(en)yl, cyano-heterocycloalk(en)yl, cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, cyano-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, cyano-C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, acyl-C₁₋₆-alk(en/yn)yl, acyl-C₃₋₈-

cycloalk(en)yl, acyl-heterocycloalk(en)yl, acyl-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, acyl-C₁₋₆-alk(en/yn)yl-C₃₋₈-cycloalk(en)yl, acyl-C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, NR¹²R^{12'}, optionally substituted NR¹²R^{12'}-C₁₋₆-alk(en/yn)yl, optionally substituted NR¹²R^{12'}-C₃₋₈-alk(en/yn)yl, or optionally substituted NR¹²R^{12'}-C₃₋₈-alk(en/yn)yl-C₁₋₆-alk(en/yn)yl; wherein





R¹² and R^{12'} are independently selected from the group consisting of hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar, Ar-C₁₋₆-alk(en/yn)yl, Ar-C₃₋₈-cycloalk(en)yl, Ar-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar-heterocycloalk(en)yl, Ar-oxy-C₁₋₆-alk(en/yn)yl, Ar-oxy-C₃₋₈-cycloalk(en)yl, Ar-oxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar-oxy-heterocycloalk(en)yl, hydroxy-C₁₋₆-alk(en/yn)yl, hydroxy-C₃₋₈-cycloalk(en)yl, hydroxy-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, halo-C₁₋₆-alk(en/yn)yl, halo-C₃₋₈-cycloalk(en)yl, halo-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, cyano-C₁₋₆-alk(en/yn)yl, cyano-C₃₋₈-cycloalk(en)yl, or cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, or



R¹² and R^{12'} together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring which optionally contains 1, 2 or 3 further heteroatoms;

with the proviso that when R³ is NR¹²R^{12'} then q is 0;


and

Y represents a group of formula XXIV, XXV, XXVI, XXVII, XXXXI, or XXXXII:






or



wherein

~~the line~~ “” represents a bond attaching the group represented by Y to the carbon atom;

W is O or S;

V is N, C or CH;

T is N, NH or O;

a is 0, 1, 2 or 3;

b is 0, 1, 2, 3 or 4;

c is 0 or 1;

d is 0, 1, 2 or 3;

e is 0, 1 or 2;

f is 0, 1, 2, 3, 4 or 5;

g is 0, 1, 2, 3 or 4;

h is 0, 1, 2 or 3;

j is 0, 1 or 2;

k is 0, 1, 2 or 3; and

each R^5 is independently selected from the group consisting of a C_{1-6} -alk(en/yn)yl, C_{3-8} -cycloalk(en)yl, C_{3-8} -cycloalk(en)yl- C_{1-6} -alk(en/yn)yl, Ar, Ar- C_{1-6} -alk(en/yn)yl, Ar- C_{3-8} -cycloalk(en)yl, Ar- C_{3-8} -cycloalk(en)yl- C_{1-6} -alk(en/yn)yl, Ar-oxy, Ar-oxy- C_{1-6} -alk(en/yn)yl, Ar-oxy- C_{3-8} -cycloalk(en)yl, C_{1-6} -alk(en/yn)yl-heterocycloalk(en)yl, Ar-oxy- C_{3-8} -cycloalk(en)yl- C_{1-6} -alk(en/yn)yl, acyl, C_{1-6} -alk(en/yn)yl-oxy, C_{3-8} -cycloalk(en)yl-oxy, C_{3-8} -cycloalk(en)yl- C_{1-6} -alk(en/yn)yl-oxy, C_{1-6} -alk(en/yn)yl-oxy-carbonyl, halogen, halo- C_{1-6} -alk(en/yn)yl, halo- C_{3-8} -cycloalk(en)yl, halo- C_{3-8} -cycloalk(en)yl- C_{1-6} -alk(en/yn)yl, $-CO-NR^6R^6$, cyano, cyano- C_{1-6} -

alk(en/yn)yl, cyano-C₃₋₈-cycloalk(en)yl, cyano-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, NR⁷R^{7'}, S-R⁸ ~~and~~ or SO₂R⁸, or two adjacent R⁵ together with the aromatic group form a 5-8 membered ring which optionally contains one or two heteroatoms;

R⁶ and R^{6'} are independently ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl ~~and~~ or Ar;

R⁷ and R^{7'} are independently ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar, heterocycloalk(en)yl-C₁₋₆-alk(en/yn)yl, heterocycloalk(en)yl-C₃₋₈-cycloalk(en)yl, heterocycloalk(en)yl-C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, heterocycloalk(en)yl-Ar ~~and~~ or acyl;
or

R⁷ and R^{7'} together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring which optionally contains 1, 2 or 3 further heteroatoms; and

R⁸ is ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, Ar ~~and~~ or -NR⁹R^{9'}; wherein

R⁹ and R^{9'} are independently ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl ~~and~~ or C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl;
or salts thereof.

Claim 2 (currently amended): The A compound according to ~~Claim~~ claim 1, wherein R¹ is C₁₋₆-alk(en/yn)yl or a hydrogen atom.

Claim 3 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-2~~, wherein s is 0.

Claim 4 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-2~~, wherein s is 1.

Claim 5 (currently amended): The A compound according to Claim 4, wherein U is an oxygen atom.

Claim 6 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-5~~, wherein R² is ~~selected from the group consisting of~~ hydrogen, C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, Ar, Ar-C₁₋₆-alk(en/yn)yl, halogen, halo-C₁₋₆-alk(en/yn)yl ~~and~~ or cyano; provided that when R² is halogen or cyano then s is 0; and provided that U is O or S when s is 1 and R² is a hydrogen atom.

Claim 7 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-6~~, wherein Z is an oxygen atom.

Claim 8 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-6~~, wherein Z is a sulphur atom.

Claim 9 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-8~~, wherein q is 0.

Claim 10 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-8~~, wherein q is 1.

Claim 11 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-10~~, wherein X is CO.

Claim 12 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-11~~, wherein R³ is C₁₋₆-alk(en/yn)yl, C₃₋₈-cycloalk(en)yl, C₃₋₈-cycloalk(en)yl-C₁₋₆-alk(en/yn)yl, heterocycloalk(en)yl-C₁₋₆-alk(en/yn)yl, heterocycloalk(en)yl, Ar, Ar-C₁₋₆-alk(en/yn)yl, Ar-oxy-C₁₋₆-alk(en/yn)yl, Ar-C₁₋₆-alk(en/yn)yl-oxy-C₁₋₆-alk(en/yn)yl, C₁₋₆-alk(en/yn)yl-oxy-carbonyl-C₁₋₆-alk(en/yn)yl, halo-C₁₋₆-alk(en/yn)yl, NR¹²R^{12'}, optionally substituted NR¹²R^{12'}-C₁₋₆-alk(en/yn)yl, ~~and~~ or optionally substituted NR¹²R^{12'}-C₃₋₈-cycloalk(en)yl.

Claim 13 (currently amended): The A compound according to Claim 12, wherein R¹² and R^{12'} are independently selected from the group consisting of hydrogen, C₁₋₆-alk(en/yn)yl and or Ar.

Claim 14 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-13~~, wherein Y is of formula XXIV.

Claim 15 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-13~~, wherein Y is of formula XXV

Claim 16 (currently amended) The A compound according to claim 14 ~~any one of Claims 14-15~~, wherein W is an oxygen atom.

Claim 17 (currently amended): The A compound according to claim 14 ~~any one of Claims 14-15~~, wherein W is a sulphur atom.

Claim 18 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-13~~, wherein Y is of formula XXVII.

Claim 19 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-13~~, wherein Y is of formula XXXXI.

Claim 20 (currently amended): The A compound according to ~~Claim~~ claim 19, wherein V is a nitrogen atom.

Claim 21 (currently amended): The A compound according to ~~Claim~~ claim 19, wherein V is CH.

Claim 22 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-13~~, wherein Y is of formula XXXXII.

Claim 23 (currently amended): The A compound according to ~~Claim~~ claim 22, wherein T is a nitrogen atom.

Claim 24 (currently amended): The A compound according to ~~Claim~~ claim 22, wherein T is an oxygen atom.

Claim 25 (currently amended): The A compound according to claim 1 ~~any one of Claims 1-24~~, wherein each R is independently selected from the group consisting of a C₁₋₆-alk(en/yn)yl, C₁₋₆-alk(en/yn)yl-heterocycloalk(en)yl, Ar, C₁₋₆-alk(en/yn)yl-oxy, Ar-oxy, C₁₋₆-alk(en/yn)yl-oxy-carbonyl, halogen, halo-C₁₋₆-alk(en/yn)yl, NR⁷R^{7'}, S-R⁸ ~~and~~ or SO₂R⁸, or two adjacent R⁵ together with the aromatic group form a 5-8 membered ring, which optionally contains one or two heteroatoms.

Claim 26 (currently amended): The A compound according to ~~Claim~~ claim 25, wherein both R⁷ and R^{7'} are C₁₋₆-alk(en/yn)yl.

Claim 27 (currently amended): The A compound according to ~~Claim~~ claim 25, wherein W is ~~selected from the group consisting of~~ C₁₋₆-alk(en/yn)yl and or Ar.

Claim 28 (currently amended) The A compound according to claim 1 ~~any one of Claims 1-27~~, said compound being ~~selected from the group consisting of:~~

{4-[(Benzofuran-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;
{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid ethyl ester;
{4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid ethyl ester;
{2-Methyl-4-[(5-phenyl-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid ethyl ester;
[4-(4-Isopropyl-benzylamino)-2-methylphenyl]-carbamic acid ethyl ester;
[4-(4-Fluoro-benzylamino)-2-methylphenyl]-carbamic acid propyl ester;
(4-{[4-(4-Chloro-benzenesulfonyl)-3-methyl-thiophen-2-ylmethyl]-amino}-2-methylphenyl)-carbamic acid propyl ester;

{4-[(5-Methyl-thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;
 {4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;
 {2-Methyl-4-[(5-phenyl-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 [4-(4-Isopropyl-benzylamino)-2-methylphenyl]-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid ethyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid ethyl ester;
 {4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid ethyl ester;
 [2-Chloro-4-(4-isopropyl-benzylamino)-phenyl]-carbamic acid ethyl ester;
 [2-Chloro-4-(4-fluoro-benzylamino)-phenyl]-carbamic acid ethyl ester;
 2-Chloro-4-{[4-(4-chloro-benzenesulfonyl)-3-methyl-thiophen-2-ylmethyl]-amino}-phenyl)-
 carbamic acid propyl ester;
 {4-[(5-Methyl-thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl ester;
 {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 {4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl ester;
 {4-[(Benzofuran-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-cyanophenyl}-carbamic acid ethyl ester;
 (4-(Benzo[b]thiophen-2-ylmethyl)-amino)-2-methoxyphenyl}-carbamic acid methyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-methoxyphenyl}-carbamic acid isopropyl ester;
 {4-[(4-Fluoro-benzyl)-(methyl)amino]-2-methoxyphenyl}-carbamic acid propyl ester;
 [4-(Benzo[b]thiophen-2-ylmethyl)-(methyl)amino]-2-methoxy-phenyl]-carbamic acid propyl
 ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methoxy-phenyl}-carbamic acid propyl
 ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-methoxy-phenyl}-carbamic acid propyl
 ester;
 {2-Methoxy-4-[methyl-(5-methyl-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl
 ester;

{4-[(4-Fluorobenzyl)-(methyl)-amino]-2-isopropoxyphenyl}-carbamic acid ethyl ester;
 [4-(3-Fluorobenzylamino)-2-methoxyphenyl]-carbamic acid ethyl ester;
 [4-(4-Isopropylbenzylamino)-2-methoxyphenyl]-carbamic acid ethyl ester;
 {2-Methoxy-4-[(3-methylthiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid ethyl ester;
 [4-(2,4-Difluorobenzylarnino)-2-methoxyphenyl]-carbamic acid ethyl ester;
 [2-Cyclopentyloxy-4-(4-methoxybenzylamino)-phenyl]-carbamic acid ethyl ester;
 [2-Cyclopentyloxy-4-(3-fluoro-2-methylbenzylamino)-phenyl]-carbamic acid ethyl ester;
 [4-(3-Fluoro-2-methylbenzylamino)-2-phenethyloxyphenyl]-carbamic acid ethyl ester;
 [2-Benzyloxy-4-(3-fluoro-2-methylbenzylamino)-phenyl]-carbamic acid ethyl ester;
 [2-Benzyloxy-4-(4-methylsulfanylbenzylamino)-phenyl]-carbamic acid ethyl ester;
 {4-[(Benzo[b]thiophen-3-ylmethyl)-amino]-2-cyclopentyloxyphenyl}-carbamic acid ethyl ester;
 [4-(3-Fluoro-2-methylbenzylamino)-2-isopropoxyphenyl]-carbamic acid ethyl ester;
 [2-Benzyloxy-4-(3-methoxybenzylamino)-phenyl]-carbamic acid ethyl ester;
 {4-[(Benzo[1,3]dioxol-5-ylmethyl)-amino]-2-isopropoxyphenyl}-carbamic acid ethyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 [2-Cyano-4(4-isopropylbenzylamino)-phenyl]-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-carbamic acid propyl ester;
 {4-[(4-Isopropylbenzyl)-(methyl)amino]-2-methylphenyl}-carbamic acid propyl ester;
 {2-Methyl-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;
 {2-Methyl-4-[methyl-(4-methylsulfanyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;
 {4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-chlorophenyl}-carbamic acid ethyl ester;
 {2-Chloro-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid ethyl ester;
 {2-Chloro-4-[methyl-(4-methylsulfanyl-benzyl)-amino]-phenyl}-carbamic acid ethyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-chlorophenyl}-carbamic acid propyl ester;
 {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;
 {4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-chlorophenyl}-carbamic acid propyl ester;

{2-Chloro-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[(4-Isopropyl-benzyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[Methyl-(4-trifluoromethyl-benzyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[Methyl-(4-methylsulfanyl-benzyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[(4-Isopropyl-benzyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[Methyl-(4-trifluoromethyl-benzyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[Methyl-(4-methylsulfanyl-benzyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-cyanophenyl}-carbamic acid propylester;
 {4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-cyanophenyl}-carbamic acid propyl ester;
 {2-Cyano-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;
 {2-Bromo-4-[(5-bromo-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;
 {2-Bromo-4-[(5-bromo-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;
 {2-Bromo-4-[(4-isopropylbenzyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;
 {2-Bromo-4-[(4-tert-butyl-benzyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;

{2-Bromo-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;
 [2-Iodo-4-(4-isopropyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 [4-(4-tert-Butyl-benzylamino)-2-iodophenyl]-carbamic acid propyl ester;
 [2-Iodo-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 [2-Iodo-4-(4-methylsulfanyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 {2-Iodo-4-[4-(4-methylpiperazin-1-yl)-benzylamino]-phenyl}-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;
 [4-(4-tert-Butyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid ethyl ester;
 [4-(4-Methylsulfanyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid ethyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;
 [4-(4-Isopropylbenzylamino)-2-trifluoromethyl-phenyl]-carbamic acid propyl ester;
 [4-(4-tert-butyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid propyl ester;
 [2-Trifluoromethyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 [4-(4-Dimethylamino-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid propyl ester;
 [4-(4-Methylsulfanyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid propyl ester;
 {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-cyanophenyl}-carbamic acid propyl ester;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-cyanophenyl}-carbamic acid propyl ester;
 [2-Cyano-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 {2-Bromo-4-[(5-bromo-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 {2-Bromo-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;
 [2-Bromo-4-(4-isopropylbenzylamino)-phenyl]-carbamic acid propyl ester;
 [2-Bromo-4-(4-tert-butyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 [2-Bromo-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 [2-Bromo-4-(4-methylsulfanyl-benzylamino)-phenyl]-carbamic acid propyl ester;
 N-{4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-methoxyphenyl}-butyramide;
 N-{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-methoxyphenyl}-butyramide;

N-[4-(4-Isopropylbenzylamino)-2-methoxyphenyl]-butyramide;
 N-[4-(4-tert-Butyl-benzylamino)-2-methoxyphenyl]-butyramide;
 N-[2-Methoxy-4-(4-trifluoromethyl-benzylamino)-phenyl]-butyramide;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-furan-2-yl-phenyl}-carbamic acid propyl ester;
 [2-Furan-2-yl-4-(4-isopropylbenzylamino)-phenyl]-carbamic acid propyl ester;
 [5-(4-Fluorobenzylamino)-biphenyl-2-yl]-carbamic acid propyl ester;
 {5-[(5-Chloro-thiophen-2-ylmethyl)-amino]-biphenyl-2-yl}-carbamic acid propyl ester;
 [5-(4-Isopropylbenzylamino)-biphenyl-2-yl]-carbamic acid propyl ester;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-phenylacetamide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3,3-
 dimethylbutyramide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3-
 phenylpropionamide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-butyramide;
 Pentanoic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-amide;
 Cyclopropanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl) amino]-
 phenyl}-amide;
 Cyclobutanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-
 phenyl}-amide;
 Cyclopentanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-
 phenyl}-amide;
 Cyclohexanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-
 phenyl}amide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-thiophen-2-yl-
 acetarnide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(3-methoxy-phenyl)-
 -acetamide;
 N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-chloro-phenyl)-
 acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-methoxy-phenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-fluoro-phenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3-cyclohexylpropionamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2,2-dimethylpropionamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-phenoxyacetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-phenylacetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-3,3-dimethylbutyramide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-butyramide;

Pentanoic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

Cyclopropanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

Cyclobutanecarboxylic acid (2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl)-amide;

Cyclopentanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

Cyclohexanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-thiophen-2-yl-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(3-methoxyphenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(4-chlorophenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(4-methoxyphenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(4-fluorophenyl)-acetamide;

2,3-Dihydro-benzo[1,4]dioxine-6-carboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

2,3-Dihydro-benzofuran-5-carboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-3-cyclohexylpropionamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-2,2-dimethylpropionamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-2-phenylacetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-3,3-dimethylbutyramide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-3-phenylpropionamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-butyramide;

2,2,2-Trichloro-N-{4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-acetamide;

Cyclopropanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-amide;

Cyclobutanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

Cyclopentanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

Cyclohexanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-2-thiophen-2-yl-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-2-(3-methoxyphenyl)-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-malonamic acid methyl ester;

2-(4-Chlorophenyl)-N-{4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-2-(4-methoxyphenyl)-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-2-(4-fluorophenyl)-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-3-cyclohexylpropionamide;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid phenyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid benzyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid isobutyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid butyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid hexyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 4-nitrobenzyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid but-3-enyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid but-2-ynyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 2,2-dimethylpropyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 2-chlorobenzyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 3-chloropropyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 2-benzyloxyethyl ester;

3-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-1-methyl-1-propyl-urea;

1-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3-(2-fluorophenyl)-urea;

N-[2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl]-2,2,2-trifluoroacetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2,2,2-trifluoroacetamide;

N-{5-[(5-Chloro-thiophen-2-ylmethyl)amino]-4'-dimethylamino-biphenyl-2-yl}-2-(4-fluorophenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-chlorophenyl)-acetamide;

[4-(3-Fluoro-4-trifluoromethyl-benzylamino)-2-methylphenyl]-carbamic acid ethyl ester;

2-(4-Fluorophenyl)-N-{2-methyl-4-[(6-p-tolylloxypyridin-3-ylmethyl)-amino]-phenyl}-acetamide;

N-[2-Methyl-4-(4-trifluoromethyl-benzylmaino)-phenyl]-butyramide;

2-(4-Fluorophenyl)-N-{2-methyl-4-[(6-trifluoromethylpyridin-3-ylmethyl)-amino]-phenyl}-acetamide;

Pentanoic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

3,3-Dimethyl-N-{2-methyl-4-[(6-p-tolylloxypyridin-3-ylmethyl)-amino]-phenyl}-butyramide;

[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid ethyl ester;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-chlorophenyl)-propionamide;

[4-(4-Chloro-benzylamino)-2-methylphenyl]-carbamic acid ethyl ester;

{4-[(6-Methoxy-benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;

{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-quinolin-3-yl-phenyl}-carbamic acid ethyl ester;

{4-[(5-Dimethylamino-3-methyl-benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;

3,3-Dimethyl-N-{2-methyl-4-[(6-trifluoromethylpyridin-3-ylmethyl)-amino]-phenyl}-butyramide;

N-(4-{[6-(4-Cyanophenoxy)-pyridin-3-ylmethyl]-amino}-2-methylphenyl)-2-(4-fluorophenyl)-acetamide;
 {2-Benzoyloxy-4-[(4-fluorobenzyl)-(methyl)amino]-phenyl}-thiocarbamic acid S-ethyl ester;
 {2-Cyclopentyloxy-4-[(4-fluorobenzyl)-(methyl)amino]-phenyl}-thiocarbamic acid S-ethyl ester;
 N-{4-[(6-Chloropyridin-3-ylmethyl)-amino]-2-methylphenyl}-2-(4-fluorophenyl)-acetamide;
 {4-[(7-Dimethylamino-benzo[b]thiophen-2-ylmethyl)amino]-2-methylphenyl}-carbamic acid propyl ester;
 1-{2-Cyclopentyloxy-4-[(4-fluorobenzyl)-(methyl)amino]-phenyl}-3-ethyl-urea;
 2-Amino-4-methyl-pentanoic acid [2-methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-amide;
 {4-[(6-Methoxy-benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid ethyl ester;
 2-Amino-4-methyl-pentanoic acid [2-methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-amide;
 2-(4-Fluorophenyl)-N-{2-methyl-4-[(4-methyl-2-phenylpyrimidin-5-ylmethyl)-amino]-phenyl}-acetamide;
 3,3-Dimethyl-N-{2-methyl-4-[(2-phenylpyrimidin-5-ylmethyl)-amino]-phenyl}-butyramide;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-pyridin-3-yl-phenyl}-carbamic acid ethyl ester;
 1-Amino-cyclopropanecarboxylic acid [2-methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-amide;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-pyridin-4-yl-phenyl}-carbamic acid ethyl ester;
 N-[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-2-piperidin-1-yl-acetamide;
 N-(4-{[5-(4-Chlorophenoxy)-1,3-dimethyl-1H-pyrazol-4-ylmethyl]-amino}-2-methylphenyl)-2,2-dimethylpropionamide;
 2,2-Dimethyl-N-{2-methyl-4-[(6-phenoxy-pyridin-3-ylmethyl)-amino]-phenyl}-propionamide;
 N-[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-2-pyrrolidin-1-yl-acetamide;
 {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-(6-methoxy-pyridin-3-yl)-phenyl}-carbamic acid ethyl ester;
 4-[(3-Methyl-4-propoxycarbonylamino-phenylamino)-methyl]-benzoic acid methyl ester;
 N-[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-2-morpholin-4-yl-acetamide;

2,2-Dimethyl-N-{2-methyl-4-[(3-methyl-5-phenylisoxazol-4-ylmethyl)-amino]-phenyl}-propionamide;
{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-iodophenyl}-carbamic acid ethyl ester;
N-{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-iodophenyl}-2-(4-fluorophenyl)-acetamide;
and or
{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-quinolin-5-yl-phenyl}-carbamic acid ethyl ester[[.]] ,
or ~~salts~~ a salt thereof.

Claim 29 (currently amended) A pharmaceutical composition comprising one or more pharmaceutically acceptable carriers or diluents and a compound according to ~~any one of claims 1-28~~ claim 1.

Claim 30 (currently amended) A method of ~~Use of a pharmaceutical composition according to Claim 29 for~~ increasing ion flow in a potassium channel of a mammal, comprising administering to said mammal the pharmaceutical composition according to claim 29 ~~such as a human.~~

Claim 31 (currently amended) A method ~~Use according to Claim 30 for~~ the prevention, treatment or inhibition of a disorder or condition being responsive to an increased ion flow in a potassium channel of a mammal, comprising administering to said mammal the pharmaceutical composition according to claim 29 ~~such disorder or condition is preferably a disorder or condition of the central nervous system.~~

Claim 32 (currently amended) The method of claim 31 ~~Use according to Claim 31, wherein said disorder or disease is selected from the group consisting of a seizure disorder disorders such as convulsions, epilepsy and status epilepticus.~~

Claim 33 (currently amended) The method of claim 31, wherein ~~Use according to claim 31 characterized in that the disorder or condition is a selected from the group consisting of~~

neuropathic and or migraine pain disorder ~~disorders such as allodynia, hyperalgesic pain, phantom pain, neuropathic pain related to diabetic neuropathy and neuropathic pain related to migraine.~~

Claim 34 (currently amended) The method of claim 31, wherein ~~Use according to claim 31~~
~~characterized in that the disorder or condition is an selected from the group consisting of~~
anxiety disorder ~~disorders such as anxiety, generalized anxiety disorder, panic anxiety,~~
~~obsessive compulsive disorder, social phobia, performance anxiety, post traumatic stress~~
~~disorder, acute stress reaction, adjustment disorders, hypochondriacal disorders, separation~~
~~anxiety disorder, agoraphobia, specific phobias, anxiety disorder due to general medical~~
~~condition and substance induced anxiety disorder.~~

Claim 35 (currently amended) The method of claim 31, wherein ~~Use according to claim 31~~
~~characterized in that the disorder or condition is a selected from the group consisting of and~~
neurodegenerative disorder ~~disorders such as Alzheimer's disease, Huntington's chorea,~~
~~multiple sclerosis, amyotrophic lateral sclerosis, AIDS induced encephalopathy and other~~
~~infection related encephalopathies being caused by rubella viruses, herpes viruses, borrelia and~~
~~by unknown pathogens, Creutzfeld Jakob disease, Parkinson's disease, trauma induced~~
~~neurodegenerations.~~

Claim 36 (currently amended) The method of claim 31, wherein ~~Use according to claim 31~~
~~characterized in that the disorder or condition is a selected from the group consisting of~~
neuronal hyperexcitation state ~~states such as in medicament withdrawal or by intoxication.~~

Claim 37 (new) The compound according to claim 15, wherein W is an oxygen atom.

Claim 38 (new) The compound according to claim 15, wherein W is a sulphur atom.

Claim 39 (new) The method of claim 30, wherein the mammal is a human.

Claim 40 (new) The method of claim 31, wherein the disorder or condition is a disorder or condition of the central nervous system.

Claim 41 (new) The method of claim 32, wherein the seizure disorder is convulsions, epilepsy, or status epilepticus.

Claim 42 (new) The method of claim 33, wherein the neuropathic or migraine pain disorder is allodynia, hyperalgesic pain, phantom pain, neuropathic pain related to diabetic neuropathy, or neuropathic pain related to migraine.

Claim 43 (new) The method of claim 34, wherein the anxiety disorder is anxiety, generalized anxiety disorder, panic anxiety, obsessive compulsive disorder, social phobia, performance anxiety, post-traumatic stress disorder, acute stress reaction, adjustment disorders, hypochondriacal disorders, separation anxiety disorder, agoraphobia, specific phobias, anxiety disorder due to general medical condition, or substance-induced anxiety disorder.

Claim 44 (new) The method of claim 35, wherein the neurodegenerative disorder is Alzheimer's disease, Huntington's chorea, multiple sclerosis, amyotrophic lateral sclerosis, AIDS-induced encephalopathy, other infection-related encephalopathies being caused by rubella viruses, herpes viruses, borrelia, and by unknown pathogens, Creutzfeld-Jakob disease, Parkinson's disease, or trauma-induced neurodegenerations.

Claim 45 (new) The method of claim 36, wherein the neuronal hyperexcitation state is a neuronal hyperexcitation state in medicament withdrawal or a neuronal hyperexcitation state in intoxication.